

# PIXMA TS705

## COMPACT AND PRODUCTIVE WI-FI PRINTER FOR THE HOME OR OFFICE

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.



- Seamless wireless connectivity with Ethernet compatibility
- Large 350-sheet plain paper capacity for high-volume printing
- 5 single inks with optional XL or XXL cartridges
- Remote monitoring of ink and usage via Management Information Base (MIB)
- Creative apps and media for limitless personalisation



5 Single Inks



Connectivity



Plain Paper Capacity



Auto 2-sided Print



2 line LCD



Printable Nail Stickers Print

### PRODUCT RANGE



PIXMA TS705



PIXMA iP110



PIXMA iX6850

### PIXMA TS705

PIXMA iP110

PIXMA iX6850

**Canon**

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS705

## GENERAL SPECIFICATIONS

### Functions

Print

## PRINTER SPECIFICATIONS

### Print Resolution

Up to 4800 <sup>[1]</sup> x 1200 dpi

### Print Technology

5 Individual Ink Tanks (PGBK, BK, C, M, Y)

ChromaLife100 inks

Approx. 15.0 ipm <sup>[2]</sup>

### Mono Print Speed

Approx. 10.0 ipm <sup>[2]</sup>

### Colour Print Speed

Mono: 8 sec (ready) <sup>[2]</sup>

### First Page Out Time (approx.)

Colour: 10 sec (ready) <sup>[2]</sup>

### Photo Print Speed

Borderless 10x15cm : Approx. 21 seconds <sup>[3]</sup>

### Borderless Printing

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm)

### Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

### Direct Disc Printing

Yes

## CARTRIDGES AND YIELDS

### Standard Ink Cartridges

5 individual ink tanks  
PGI-580PGBK (Pigment Black)  
CLI-581BK (Black)  
CLI-581C (Cyan)  
CLI-581M (Magenta)  
CLI-581Y (Yellow)

### Optional XL Ink Cartridges

High yield XL ink tanks  
PGI-580PGBK XL (Pigment Black)  
CLI-581BK XL (Black)  
CLI-581C XL (Cyan)  
CLI-581M XL (Magenta)  
CLI-581Y XL (Yellow)

### Optional XXL Ink Cartridges

High yield XXL ink tanks  
PGI-580PGBK XXL (Pigment Black)  
CLI-581BK XXL (Black)  
CLI-581C XXL (Cyan)  
CLI-581M XXL (Magenta)  
CLI-581Y XXL (Yellow)

### Cartridge Yield (Plain paper)

A4 Colour Document <sup>[4]</sup>  
Pigment Black: 200 pages  
Pigment Black XL: 400 pages  
Pigment Black XXL: 600 pages  
Black: 1478\* pages  
Black XL: 3998\* pages  
Black XXL: 8162\* pages  
Cyan: 257 pages  
Cyan XL: 515 pages  
Cyan XXL: 822 pages  
Magenta: 236 pages  
Magenta XL: 474 pages  
Magenta XXL: 766 pages  
Yellow: 257 pages  
Yellow XL: 512 pages  
Yellow XXL: 813 pages  
\* Estimated supplemental yield

### Cartridge Yield (Photo print)

10x15cm photo <sup>[5]</sup>  
Pigment Black: 1518\* photos  
Pigment Black XL: 4310\* photos  
Pigment Black XXL: 7060\* photos  
Black: 240\* photos  
Black XL: 538\* photos  
Black XXL: 892\* photos  
Cyan: 85 photos  
Cyan XL: 173 photos  
Cyan XXL: 288 photos  
Magenta: 111 photos  
Magenta XL: 231 photos  
Magenta XXL: 379 photos  
Yellow: 101 photos  
Yellow XL: 203 photos  
Yellow XXL: 328 photos  
\* Estimated supplemental yield

## PAPER SUPPORT

### Paper Types

Plain Paper  
Canon High Resolution Paper (HR-101N)  
Canon Pro Platinum (PT-101)  
Canon Plus Glossy II (PP-201)  
Canon Pro Luster (LU-101)  
Canon Plus Semi-gloss (SG-201)  
Canon "Everyday Use" (GP-501)  
Canon Matte (MP-101)

Envelopes

Other Fine Art Papers

Printable Discs

Removable Photo Stickers (RP-101)

Magnetic Photo Paper (MG-101)

Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)

Cassette: Max. 250 sheets (plain paper)

Multi-purpose Tray: Printable Nail Stickers (NL-101)/1

printable CD, DVD or Blu-Ray Disc

Rear Tray: A4, A5, B5, LTR, LGL, 4"x6", 5"x7", 7"x10",

8"x10",

Envelopes(DL, COM10), Square {5" x 5",

4"x4",89x89mm), Card Size(91 x 55mm)

[Custom size] width 55mm - 215.9 mm,length 89mm - 676mm

Cassette: A4, A5, B5, LTR

[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper: 64 - 105 g/m<sup>2</sup>

Canon photo paper: up to 300 g/m<sup>2</sup>

Cassette: Plain paper: 64 - 105 g/m<sup>2</sup>

### Maximum Paper Input

### Paper Sizes

### Paper Weight

## INTERFACE

### Display Type & Size

### Display Languages

Full dot LCD display

32 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese / Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Croatian/Vietnamese

### Interface Type - PC / Mac

Hi-Speed USB (B Port)

Ethernet: 10/100Mbps (auto switchable)

Wi-Fi: IEEE802.11 b/g/n/a

Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,

Administration password

Wireless LAN Frequency Band: 2.4GHz

### Interface Type - Other

Canon PRINT Inkjet/SELPHY app

Easy-PhotoPrint Editor

Bluetooth

Message In Print app

Nail Sticker Creator app

PIXMA Cloud Link

Canon Print Service Plugin (Android)

Google Cloud Print

Apple AirPrint

Wireless Direct

Access Point Mode

LAN/WLAN PictBridge

Mopria (Android)

**Canon**

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS705

## SOFTWARE

### Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

Printer driver and IJ Network Device Setup Utility are available with following OS.  
Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016

OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.14

iOS, Android, Windows 10 Mobile

Windows: 3.1 GB disk space, Internet Explorer 8

Display: 1024 x 768 XGA

MP Driver

Easy-WebPrint EX (download) <sup>[6]</sup>

### Supported Mobile Systems

### Minimum System Requirements

### Software Included

## PHYSICAL FEATURES

### Weight

approx. 5.4 kg

### Dimensions (W x D x H)

Approx. 372 x 365 x 158 mm

### Acoustic Noise Levels

approx. 50.5dB(A) <sup>[7]</sup>

### Operating Temperature

5-35°C

### Operating Humidity

10-90%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.3W

Standby (USB connection to PC): Approx. 0.9W

(scanning lamp off)

Standby (all ports connected): Approx. 1.6W

(scanning lamp is off)

Time to enter Standby mode: 10 minute 57sec

0.2 kWh <sup>[8]</sup>

### Typical Electricity Consumption

## Footnotes

<sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch

<sup>[2]</sup> A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

<sup>[3]</sup> Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

<sup>[4]</sup> Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.

<sup>[5]</sup> Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.

<sup>[6]</sup> Easy-WebPrint EX requires Internet Explorer 8 or later

<sup>[7]</sup> Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.

<sup>[8]</sup> Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

## Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see

[www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



# COMPACT AND CONNECTED PRINTER FOR THE HOME OR OFFICE

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.

Sales Start Date: Feb 2019

# PIXMA TS705



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS705	3109C006AA	4549292131253	<Please fill in RRP>

## CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
<b>Standard size</b>			
PGI-580 PGBK	2078C001AA	4549292087062	<Please fill in RRP>
CLI-581 BK	2106C001AA	4549292087079	<Please fill in RRP>
CLI-581 C	2103C001AA	4549292087086	<Please fill in RRP>
CLI-581 M	2104C001AA	4549292087093	<Please fill in RRP>
CLI-581 Y	2105C001AA	4549292087116	<Please fill in RRP>
<b>XL size</b>			
PGI-580XL PGBK	2024C001AA	4549292086980	<Please fill in RRP>
CLI-581XL BK	2052C001AA	4549292086997	<Please fill in RRP>
CLI-581XL C	2049C001AA	4549292087017	<Please fill in RRP>
CLI-581XL M	2050C001AA	4549292087024	<Please fill in RRP>
CLI-581XL Y	2051C001AA	4549292087031	<Please fill in RRP>
<b>XXL size</b>			
PGI-580XXL PGBK	1970C001AA	4549292086836	<Please fill in RRP>
CLI-581XXL BK	1998C001AA	4549292086874	<Please fill in RRP>
CLI-581XXL C	1995C001AA	4549292086898	<Please fill in RRP>
CLI-581XXL M	1996C001AA	4549292086928	<Please fill in RRP>
CLI-581XXL Y	1997C001AA	4549292086959	<Please fill in RRP>

# Canon

Live for the story\_

# COMPACT AND CONNECTED PRINTER FOR THE HOME OR OFFICE

Big in features but small in size, Canon's smallest-ever 5-ink single function printer has a 350-sheet plain paper capacity to deliver smart documents and photos with seamless connectivity - and all for an affordable price.

# PIXMA TS705



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS705	3109C006AA	EA	Individual	1	462	224	470	7.4	5.2
			Pallet (Upper)	20	1,137	938.5	943.5	153.3	140.5
			Pallet (Bottom)	30	1,137	938.5	1,413	160.7	146.9

What's in the box?

- Canon PIXMA TS705
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

